

AMENDMENTS TO THE CLAIMS

1. **(Original)** A vented hollow plastic block for use in a wall section or panel, said plastic block comprising in combination;
 - a) a pair of members, each of said members including a continuous side wall, said side wall of one of said members including a lip and said side wall of the other of said members including a shelf for receiving and mating with said lip and forming a junction;
 - b) a sheet of material adapted for partly reflecting solar radiation, said sheet of material being located interior of and extending across said plastic block; and
 - c) a vent extending through one of said side walls.
2. **(Original)** The vented hollow plastic block as set forth in Claim 1 wherein the said vent has an area equivalent to a circle having a diameter in the range of about 0.005 inches to about 0.25 inches.
3. **(Original)** The vented hollow plastic block as set forth in Claim 2 wherein said vent has an area equivalent to a circle having a diameter in the range of about 0.012 inches to about 0.015 inches.
4. **(Original)** The vented hollow plastic block as set forth in Claim 1 wherein each of said members is of translucent plastic material.

5. **(Original)** The vented hollow plastic block as set forth in Claim 1 wherein each of said members is of transparent plastic material.

6. **(Currently Amended)** ~~The vented hollow plastic block as set forth in Claim 1 wherein said sheet of material defines~~ A vented hollow plastic block for use in a wall section or panel, said plastic block comprising in combination;

a) a pair of members, each of said members including a continuous side wall, said side wall of one of said members including a lip and said side wall of the other of said members including a shelf for receiving and mating with said lip and forming a junction;

b) a sheet of material adapted for partly reflecting solar radiation, said sheet of material being located interior of and extending across said plastic block two compartments within said plastic block[.] to define two compartments within said plastic block; and

c) a vent extending through one of said side walls.

7. **(Original)** The vented hollow plastic block as set forth in Claim 6 wherein said sheet of material includes a slot adapted to provide fluid communication between said two compartments.

8. **(Original)** The vented hollow plastic block as set forth in Claim 7 wherein said slot is essentially coincident with said vent.

9. **(Currently Amended)** ~~The vented hollow plastic block as set forth in Claim 1~~

~~wherein said sheet of material is~~ A vented hollow plastic block for use in a wall section or panel,
said plastic block comprising in combination;

a) a pair of members, each of said members including a continuous side wall, said
side wall of one of said members including a lip and said side wall of the other of said members
including a shelf for receiving and mating with said lip and forming a junction;

b) a sheet of material adapted for partly reflecting solar radiation, said sheet of
material being located interior of and extending across said plastic block and being disposed at
said junction[.]; and

c) a vent extending through one of said side walls.

10. **(Original)** The vented hollow plastic block as set forth in Claim 9 wherein the
peripheral edge of said sheet of material is coincident with said shelf and retained thereagainst by
said lip.

11. **(Original)** The vented hollow plastic block as set forth in Claim 10 including an
adhesive for securing said sheet of material in place.

12. **(Original)** The vented hollow plastic block as set forth in Claim 9 including an
adhesive for securing said sheet of material in place.

13. **(Original)** A vented hollow plastic block for use in a wall section, said plastic
block comprising in combination;

a) a pair of members, each of said members including a continuous side wall and defining an edge, said edge of one of said members being mated with said edge of the other of said members to form a junction;

b) a vent disposed in at least one of said side walls, said vent having an area equivalent to a circle having a diameter in the range of about 0.005 inches to about 0.025 inches;

c) a sheet of material disposed within said plastic block and supported by said side wall of at least one member of said pair of members and adapted to define two compartments within said plastic block; and

d) a further vent disposed in said sheet of material for providing fluid communication between said two compartments.

14. **(Original)** The vented hollow plastic block as set forth in Claim 13 wherein said aperture has an area equivalent to a circle having a diameter in the range of about 0.012 inches to about 0.015 inches.

15. **(Original)** The vented hollow plastic block as set forth in Claim 13 wherein said vent and said further vent are substantially coincident.

16. **(Original)** The vented hollow plastic block as set forth in Claim 15 wherein said vent and said further vent are juxtaposed with one another.

17. **(Original)** The vented hollow plastic block as set forth in Claim 13 wherein each

of said members is of translucent plastic material.

18. **(Original)** The vented hollow plastic block as set forth in Claim 13 wherein each of said members is of transparent plastic material.

19. **(Original)** The vented hollow plastic block as set forth in Claim 13 wherein each of said members is square in planform and wherein said sheet of material is square in planform.

20. **(Currently Amended)** A vented hollow translucent/transparent plastic block
[[of]] for use in a wall section, said plastic block comprising in combination;

- a) a pair of members, each of said members including a continuous side wall;
- b) a sheet of material extending across the interior of said plastic block;
- c) said side wall of one of said members being in sealed engagement with said side wall of the other of said members; and
- d) a vent disposed in one of said side walls and adapted to be in fluid communication with the interior of said plastic block.

21. **(Original)** The vented hollow translucent/transparent plastic block as set forth in Claim 20 wherein said vent having an area equivalent to a circle having a diameter in the range of about 0.005 inches to about 0.25 inches.

22. **(Original)** The vented hollow translucent/transparent plastic block as set forth in

Claim 21 wherein said vent has an area equivalent to a circle having a diameter in the range of about 0.012 inches to about 0.015 inches.

23. **(Currently Amended)** ~~The vented hollow translucent/transparent plastic block as set forth in Claim 20 wherein said sheet of material defines~~ A vented hollow translucent/transparent plastic block of use in a wall section, said plastic block comprising in combination;

- a) a pair of members, each of said members including a continuous side wall;
- b) a sheet of material extending across the interior of said plastic block to define two compartments within said plastic block[[]];
- c) said side wall of one of said members being in sealed engagement with said side wall of the other of said members; and
- d) a vent disposed in one of said side walls and adapted to be in fluid communication with the interior of said plastic block

24. **(Original)** The vented hollow translucent/transparent plastic block as set forth in Claim 23 wherein said sealed engagement is adapted to support said sheet of material.

25. **(Original)** The vented hollow translucent/transparent plastic block as set forth in Claim 24 wherein said vent is formed at the junction of said side walls including a further vent disposed in said sheet of material.

26. **(Original)** The vented hollow translucent/transparent plastic block as set forth in Claim 25 wherein said further vent is substantially coincident with said vent.

27. **(New)** A vented hollow plastic block for use in a wall section or panel, said plastic block comprising in combination;

a) a pair of members, each of said members including a substantially planar inner surface and a continuous side wall, said side wall of one of said members including a lip and said side wall of the other of said members including a shelf for receiving and mating with said lip and forming a junction;

b) a thin substantially planar sheet of material adapted for partly reflecting solar radiation, said sheet of material being located interior of and extending across said plastic block and spaced apart from said inner surfaces of each of said members; and

c) a vent extending through one of said side walls.

28. **(New)** A vented hollow translucent/transparent plastic block of use in a wall section, said plastic block comprising in combination;

a) a pair of members, each of said members including a substantially planar inner surface and a continuous side wall;

b) a substantially planar sheet of material extending across the interior of said plastic block and spaced apart from said inner surfaces of said members;

c) said side wall of one of said members being in sealed engagement with said side wall of the other of said members; and

d) a vent disposed in one of said side walls and adapted to be in fluid communication with the interior of said plastic block.